

Solid State Logic SSL 1



Solid State Logic (SSL) announces the new SSL 1: a 2-channel, plug-and-play USB audio interface delivering powerful performance and authentic studio sound quality at an unprecedented price point. Designed for those beginning their creative journey as well as experienced producers on the move, SSL 1 combines a portable form factor with the trusted SSL sonic character, making professional results more accessible than ever.

From its class-leading preamp with 4K analogue enhancement to its professional-grade 32-bit/192kHz conversion capability and high-current headphone output, the SSL 1 is perfectly poised to capture creative inspiration for users at any level. With flexible power options, including bus power or a 5V external source such as a phone charger or power bank, SSL 1 is ideally suited to mobile recording setups and offers seamless use with USB Audio Class 2.0 phones and tablets, as well as Mac and Windows computers. Designed by the same team that made Solid State Logic the benchmark in professional studios and trusted by the most recognised producers in the world, the SSL 1 sets an entirely new benchmark for portable, affordable audio interfaces.

Whether it is being used for recording guitar, bass, synths, or drum machines, SSL

1's instrument/line input captures every performance with depth, punch, and clarity - preserving the character and dynamics of the original sound. It is equally well suited to singer-songwriters, with an SSL-designed mic preamp that delivers ample gain for vocals and acoustic instruments, even when using more demanding microphones.

Channel 1 features an XLR input with +48V phantom power, while channel 2 offers a dedicated instrument/line input for direct recording of guitars, synths, and other electronic instruments. The included SSL Production Pack also provides a range of amp modelling tools and creative processing options, making it easy to shape inspiring tones for guitar and beyond. SSL 1 also excels in live performance applications, providing high-quality conversion and stereo output for software such as Ableton Live at a festival or in the DJ booth at a club - ensuring top-quality audio before reaching the PA.

Finally, with its single mic input, high-current headphone output and near-zero-latency monitoring, the SSL 1 is an excellent choice for live streamers. The unit features three stereo loopback channels ideal for capturing device audio, and its ability to be powered externally means it can be used with mobile devices and tablets without causing excessive battery drain - making it a reliable companion when inspiration strikes.

The SSL 1 is much more than a portable, high-quality hardware interface. It also includes the renowned SSL Production Pack, a specially curated collection of essential virtual instruments, samples, and software tools from leading industry brands including Harrison Audio, Slate Digital, Antares, Loopcloud, Native Instruments, AAS, IK Multimedia, Ableton and more.

Combined with plug-ins such as SSL Drumstrip, VocalStrip 2, Complete Access trial (which features every plug-in from SSL, Slate Digital and Harrison), and many other creative tools, the SSL Production Pack delivers a complete hardware-plus-software solution for making music and content with professional quality. Registered SSL 1 users are welcomed into the SSL Family with exclusive benefits. Gain access to a range of industry-leading offers, from premium EQs, reverbs and compressors to guitar processing plug-ins and more. Registering your product unlocks an expanding suite of creative tools. Register your SSL 1 and join the family.

Key Features of the SSL 1

- 2-in/2-out USB-C connectivity with next-gen 32-bit 192 kHz converters
- 1 x SSL-designed microphone preamp
- +48V phantom power
- Legacy 4K analogue enhancement
- High-pass filter
- 1 x instrument DI input or line input
- 1 x professional high-current headphone output
- Portable-recording friendly: can be USB bus-powered or powered externally

Solid State Logic introduces the SSL 1 Audio Interface

Donnerstag, 28. Mai 2026 15:25

- via the additional 5V USB connection
- Compatible with Mac, Windows and mobile devices supporting USB Audio Class 2.0 (UAC2)
- Balanced monitor outputs
- Mix button provides a mix of low-latency input monitoring and computer playback
- DC-coupled outputs are suitable for sending CV to synths
- 3 x Stereo loopback feature - ideal for content creators
- SSL Production Pack software bundle included
- Robust design with quality components

www.solidstatellogic.com